

# Royal Viking

**10** year  
warranty



JOSEF DAVIDSSONS

since 1882



## 150 years old, and in production again

The 19th century was the century of new styles. Around the middle of the century, neo classicism and romanticism lived side by side and inspired new forms. At the same time, industrialism made its entrance. In the midst of this creative period, when craftsmanship was at its height, the “king among Swedish cast iron stoves” was created.


# Royal Viking

The impressive ornamented outer jacket in cast iron is completely in harmony with the original design. The inner chamber contains the latest technology. A solid and ingenious design, which gives the Royal Viking an efficiency of >80% as well as a very large heat output area.

The heat from the flue gases is utilized to the maximum due to a long flue gas outlet. It spreads effectively, partly

as radiated heat and partly via the air that can circulate between the stove's walls and flow out. The high heat capacity of the cast iron provides cosy residual heat for long periods.

If you wish for a stove to add to the warmth of your home, you have a warm, reliable and faithful friend in the Royal Viking.





## Royal Viking

Article no: 101850002, black

The Royal Viking comes with a connector to the flue gas outlet on the rear and it is suitable for today's modern chimneys, which withstand up to 350 degrees. The stove can be placed directly on to wooden floor beams, but don't forget to protect the floor with accessories such as our black enamelled floor plate.

### Accessories



**Floor plate**  
Black enamel.  
1000x1200 etc.  
SKU: 990000504



**Flue pipe**  
125 mm in diameter.  
Available in different lengths.

**10 year warranty**

EN 13240  
§15a  
DIN+


**Bimsch V. 1+2**

### Technical Data

Power (kW)	3-8
Nominal power (kW)	6
Heating surface (m <sup>2</sup> )	40-120
Efficiency (%)	>80
Weight (kg)	280
Dimensions (HxWxD mm)	1 670x560x560


Hearth dimensions (HxWxD mm)	390x280x325
Firewood length (max mm)	325
Hearth opening (HxW mm)	360x200
Type & environmentally approved	EN 13240
Connection alternative rear (H cc, mm)	975
Warranty (does not apply to glass and replaceable parts of the hearth)	10 years

### Dimensions sketch, mm



Front view

Side view



View from above